

Livorsi DTS Controls Contour Base Single Engine (2 handle)



715 Center Street Grayslake IL 60030 P: 847.752.2700 F: 847.752.2415 www.livorsi.com info@livorsi.com

When printing this template, be sure that page scaling options have been disabled.

For installation and operation instructions, please visit www.livorsi.com/tools.htm




Livorsi DTS Controls Contour Base Triple Shift/Throttle (3 handle)



715 Center Street Grayslake IL 60030 P: 847.752.2700 F: 847.752.2415 www.livorsi.com info@livorsi.com

When printing this template, be sure that page scaling options have been disabled.

For installation and operation instructions, please visit www.livorsi.com/tools.htm



Livorsi DTS Controls Contour Base Twin Engine (4 handle)



715 Center Street Grayslake IL 60030 P: 847.752.2700 F: 847.752.2415 www.livorsi.com info@livorsi.com

When printing this template, be sure that page scaling options have been disabled.

For installation and operation instructions, please visit www.livorsi.com/tools.htm

	Overall Surface Area	7 3/4 in. (197 mm)	
5 1/8 in. (130 mm)	Cutout Area		
	71/2 in. (190 mm)   Image: Constraint of the street		
	When printing this template, be sure that page scaling options have been disabled. For installation and operation instructions, please visit www.livorsi.com/tools.htm 8 in. (203 mm)		
			•

Livorsi DTS Controls Contour Base Triple Engine (6 handle)

Conto	DTS Controls ur Base Engine (8 handle)
715 Center Street Grayslake IL 60030 the P: 847.752.2700 F: 847.752.2415 www.livorsi.com info@livorsi.com	When printing this emplate, make sure page scaling options have been disabled. May not be to scale.
	10 5/16 in. (262 mm)