

Livorsi DTS Controls
Flat Base
Single Engine (2 handle)



715 Center Street Grayslake IL 60030
P: 847.752.2700 F: 847.752.2415
www.livorsi.com info@livorsi.com

When printing this template, be sure that page scaling options have been disabled.
For installation and operation instructions, please visit www.livorsi.com/tools.htm




Livorsi DTS Controls
Flat Base
Triple Shift/Throttle



715 Center Street Grayslake IL 60030
P: 847.752.2700 F: 847.752.2415
www.livorsi.com info@livorsi.com

When printing this template, be sure that page scaling options have been disabled.
For installation and operation instructions, please visit www.livorsi.com/tools.htm



715 Center Street Grayslake IL 60030
P: 847.752.2700 F: 847.752.2415
www.livorsi.com info@livorsi.com

Livorsi DTS Control
Flat Base
Twin Engine (four handle)

When printing this template, be sure that page scaling options have been disabled.
For installation and operation instructions, please visit www.livorsi.com/tools.htm

Overall Surface Area

Livorsi DTS Controls
Flat Base
Triple Engine (6 handle)

7 3/4 in. (197 mm)

Cutout Area

7 1/2 in. (90 mm)

5 1/8 in. (130 mm)

**When printing this
template, make sure
the page scaling options
have been disabled.**

May not be to scale.

8 in. (203 mm)



715 Center Street Grayslake IL 60030
P: 847.752.2700 F: 847.752.2415
www.livorsi.com info@livorsi.com

For installation and operation instructions, please visit www.livorsi.com/tools.htm

Overall Surface Area

Livorsi DTS Controls
Flat Base
Quad Engine (eight handles)

7 3/4 in. (197 mm)

Cutout Area

9 13/16 in. (249 mm)

**When printing this
template, make sure
the page scaling options
have been disabled.**

May not be to scale.



715 Center Street Grayslake IL 60030
P: 847.752.2700 F: 847.752.2415
www.livorsi.com info@livorsi.com

When printing this template, be sure that page scaling options have been disabled.
For installation and operation instructions, please visit www.livorsi.com/tools.htm

10 5/16 in. (262mm)