


Mega Race Series Color Options

www.livorsi.com


Dials




* black- BK




carbon fiber- CF



silver carbon fiber- SF




platinum- PL



white- W

Powder Coat Colors




* black - BK




blue - BL



black stardust - BS



gun metal - GU




lime - L



mustard - MU




orange - O



platinum - PL




polished stainless steel - PSS



purple - PU




red - R



white - W

Rim Styles



Race Rim



Mega Rim

* Black gloss finish available upon request

Mega Race Series GPS Speedometers

GPSL120KPLPLRR

4-5/8" cut out, 120 MPH speedo kit, platinum dial, platinum Race rim

847.752.2700

GPS	L	120	K	PL	PL	RR
------------	----------	------------	----------	-----------	-----------	-----------

GPS Speedometer Gauge

Cut Out Size/
Hole Size

Speed
MPH

Kit
Optional

Dial Color

Rim Color

Rim Style



overall size	hole size	Code:	Code:
3-3/4"	3-3/8"	S	50
5"	4-5/8"	L	60
			80
			100
			120
			140
			160
			180
			200



Included with GPS speedometer

- speedometer
- memory recall switch & plate
- harness for power, ground and recall
- mounting hardware

Included with GPS speedometer kit

- speedometer
- memory recall switch & plate
- harness for power, ground and recall
- mounting hardware
- NMEA 0183 GPS antenna

Code:		Code:		Code:	
black	BK	black	BK	Mega	MR
carbon fiber	CF	blue	BL	Race	RR
platinum	PL	black stardust	BS		
silver fiber	SF	gun metal	GU		
white	W	lime	L		
		mustard	MU		
		orange	O		
		platinum	PL		
		polished stainless steel	PSS		
		purple	PU		
		red	R		
		white	W		



Mega Race Series Mechanical Speedometers

DCMS60KPLPLRR

3-3/8" cut out, mechanical 60 MPH kit, platinum dial, platinum Race rim

847.752.2700

DCM	S	60	K	PL	PL	RR
------------	----------	-----------	----------	-----------	-----------	-----------

Mechanical Speedometer Gauge

Cut Out Size/
Hole Size

Speed
MPH

Kit
Optional

Dial Color

Rim Color

Rim Style

overall size	hole size	Code:	Code:
3-3/4"	3-3/8"	S	*60
5"	4-5/8"	L	80
			100

	Code:
black	BK
carbon fiber	CF
platinum	PL
silver fiber	SF
white	W

	Code:
black	BK
blue	BL
black stardust	BS
gun metal	GU
lime	L
mustard	MU
orange	O
platinum	PL
polished stainless steel	PSS
purple	PU
red	R
white	W


	Code:
Mega	MR
Race	RR



* Note: only available in a 3-3/8" cut out

Included with speedometer
• speedometer only

Included with speedometer kit
• speedometer
• pitot tube assembly (GCM1A1/8)
• 1/8" ID hose (GCH1/8)



Mega Race Series Tachometers

DCL8000PLPLRR

4-5/8" cut out, 8000 RPM, platinum dial, platinum Race rim

847.752.2700

DC	L	8000	PL	PL	RR
-----------	----------	-------------	-----------	-----------	-----------

Tachometer

Cut Out Size/
Hole Size

RPM

Dial Color

Rim Color

Rim Style

overall size	hole size	Code:
3-3/4"	3-3/8"	S
5"	4-5/8"	L

	Code:
diesel - 4000 RPM alternator driven	*4000DA
diesel - 4000 RPM mag probe driven	*4000MPD
diesel - 4000 RPM mechanical signal generator driven	*4000MSGD
gas - 6,000 RPM	6000
gas - 8,000 RPM	8000
gas - 10,000 RPM	10000
gas - 12,000 RPM	*12000

	Code:
black	BK
carbon fiber	CF
platinum	PL
silver fiber	SF
white	W



	Code:
black	BK
blue	BL
black stardust	BS
gun metal	GU
lime	L
mustard	MU
orange	O
platinum	PL
polished stainless steel	PSS
purple	PU
red	R
white	W

	Code:
Mega	MR
Race	RR

* Note: only available in a 3-3/8" cut out/hole size

Tachometers require the use of the four pin connector harness:

12V system Part Number: DCH







Mega Race Series Electric Gauges

DCFLPLPLMR

2-5/8" cut out, fuel level 0-90 ohms, platinum dial, platinum Race rim

847.752.2700

DC			FL		PL		PL		RR					
Cut Out Size/ Hole Size			Function		Dial Color		Rim Color		Rim Style					
overall size	hole size	Code:			Code:		Code:		Code:					
2-3/4"	2-5/8"	DC	Clock	DCC	black	BK	black	BK	Mega	MR				
			Fuel Level 0-90 OHMS - automotive industry standard	FLGM	carbon fiber	CF	blue	BL	Race	RR				
			Fuel Level 240-33 OHMS - marine industry standard	FL	platinum	PL	black stardust	BS						
			Fuel Pressure 0-15 PSI	FP	silver fiber	SF	gun metal	GU						
			Fuel Pressure 0-90 PSI	FP90	white	W	lime	L						
			Oil Pressure 0-80 PSI	OP80	 <ul style="list-style-type: none"> black carbon fiber platinum silver fiber white 		mustard	MU						
			Oil Pressure 0-100 PSI	OP			orange	O	platinum	PL				
			Oil Temperature 140-340 F	OT			polished stainless steel	PSS	purple	PU				
			Transmission Temperature 140-340 F	TT			red	R	white	W				
			Trimmer Mercury & Yamaha 10-90 OHMS	TMM			 <ul style="list-style-type: none"> BK BL BS PSS GU L MU O PL PU R W 							
			Trimmer Outboard OMC 88-1 OHMS	TMO										
			Voltmeter 8-18V	VM										
			Voltmeter 18-32V	VM24										
			Water Level	WL										
			Water Temperature 100-250 F	WTA										
			Water Temperature 100-280 F	WT										
			Drive Temperature 100-300 F - only available in 2-1/16" cutout											
			Depth Sounder - only available in 2-1/16" cutout											
			Depth Sounder Kit - only available in 2-1/16" cutout											
			Hourmeter - only available in 2-1/16" cutout											

Electric gauges require the use of the four pin connector harness:





12V system Part Number: DCH
24V system Part Number: DCH24

Mega Race Series Mechanical Gauges

DCSMVBPLPLRR

2-1/16" cut out, mechanical vacuum boost, platinum dial, platinum Race rim

847.752.2700





DCSM			VB		PL		PL		RR	
Cut Out Size/ Hole Size			Function		Dial Color		Rim Color		Rim Style	
overall size	hole size	Code:			Code:		Code:		Code:	
2-3/8"	2-1/16"	DCSM	Boost 0-35 PSI	B35	black	BK	black	BK	Mega	MR
			Fuel Pressure 0-15 PSI	FP	carbon fiber	CF	blue	BL	Race	RR
			Fuel Pressure 0-100 PSI	FP100	platinum	PL	black stardust	BS		
			Oil Pressure 0-100 PSI	OP	silver fiber	SF	gun metal	GU		
			Vacuum Boost 30 in hg/ Boost 20 PSI	VB	white	W	lime	L		
			Water Pressure 0-35 PSI	WP			mustard	MU		
			Water Pressure 0-60 PSI	WP60			black	carbon fiber	platinum	silver fiber
			<p>Mechanical gauges require the use of a hose kit:</p> <p>10 feet of hose & fittings Part Number: HKA 25 feet of hose & fittings Part Number: HK</p>							
										

Mega Race Series Electric Gauges

DCSFLPLPLMR

847.752.2700

2-1/16" cut out, fuel level 0-90 ohms, platinum dial, platinum Race rim

DCS			FL		PL		PL		RR					
Cut Out Size/ Hole Size			Function		Dial Color		Rim Color		Rim Style					
overall size	hole size	Code:			Code:		Code:		Code:					
2-3/8"	2-1/16"	DCS	Boost Pressure 60 PSI	B60	black	BK	black	BK	Mega	MR				
			Fuel Level 0-90 OHMS - automotive industry standard	FLGM	carbon fiber	CF	blue	BL	Race	RR				
			Fuel Level 240-33 OHMS - marine industry standard	FL	platinum	PL	black stardust	BS						
			Fuel Pressure 0-15 PSI	FP	silver fiber	SF	gun metal	GU						
			Fuel Pressure 0-90 PSI	FP90	white	W	lime	L						
			Oil Pressure 0-80 PSI	OP80	 <ul style="list-style-type: none"> black carbon fiber platinum silver fiber white 		mustard	MU						
			Oil Pressure 0-100 PSI	OP			orange	O	platinum	PL				
			Oil Temperature 140-340 F	OT			polished stainless steel	PSS	purple	PU				
			Transmission Temperature 140-340 F	TT			red	R	white	W				
			Trimmer Mercury & Yamaha 10-90 OHMS	TMM			 <ul style="list-style-type: none"> BK BL BS PSS GU L MU O PL PU R W 							
			Trimmer Outboard OMC 88-1 OHMS	TMO										
			Voltmeter 8-18V	VM										
			Voltmeter 18-32V	VM24										
			Water Level	WL										
			Water Temperature 100-250 F	WTA										
			Water Temperature 100-280 F	WT										
			Drive Temperature 100-300 F	DTK										
			Depth Sounder	*DFG										
			Depth Sounder Kit	*DFGKTR										
			Hourmeter	HM										

*Note: Depth finder has own rim style.




Electric gauges require the use of the four pin connector harness:

12V system Part Number: DCH
 24V system Part Number: DCH24
 (exception- depth sounders and hourmeters)

Mega Race Series Mechanical Gauges
DCMVBPLPLRR

847.752.2700

2-5/8" cut out, mechanical vacuum boost, platinum dial, platinum Race rim

DCM			VB		PL		PL		RR	
Cut Out Size/ Hole Size			Function		Dial Color		Rim Color		Rim Style	
overall size	hole size	Code:			Code:		Code:		Code:	
2-3/4"	2-5/8"	DCM	Boost 0-35 PSI	B35	black	BK	black	BK	Mega	MR
			Fuel Pressure 0-15 PSI	FP	carbon fiber	CF	blue	BL	Race	RR
			Fuel Pressure 0-100 PSI	FP100	platinum	PL	black stardust	BS		
			Oil Pressure 0-100 PSI	OP	silver fiber	SF	gun metal	GU		
			Vacuum Boost 30 in hg/ Boost 20 PSI	VB	white	W	lime	L		
			Water Pressure 0-35 PSI	WP			mustard	MU		
			Water Pressure 0-60 PSI	WP60			black		orange	O
<p>Mechanical gauges require the use of a hose kit: 10 feet of hose & fittings Part Number: HKA (*Note: not for fuel) 25 feet of hose & fittings Part Number: HK (*Note: not for fuel)</p> <p>Livorsi Marine, Inc. does not supply hoses for fuel gauges.</p>					carbon fiber		platinum	PL		
					platinum		polished stainless steel	PSS	purple	PU
					silver fiber		red	R		
					white		white	W		
							