



stainless steel  
bracket



aluminum  
adjustable bracket

## Mounting Kit

- stainless steel & aluminum

Kit includes:

- bracket
- sleeve
- washers & bolts

Part Number	HAMK
-------------	------

Brackets can be sold separately.  
Washers and bolts not included.

bracket	HAB
adjustable bracket	HABT



## Quick Release Pin

- stainless steel & aluminum

Part Number	HAQRP
-------------	-------



## Hatch Actuator Remote

- Specifically designed for hatch lifting
- Opens hatches from 300 feet away
- Can be used on most hatch motors electric or hydraulic
- Isolated channels prevent damage to the hatch motor
- Use on boats with 2 separate hatches- a relay kit is needed
- Receiver module can be mounted...
  - under the dash
  - wired to the hatch switch
  - directly to the motor
- ...while keeping the manual switch functional

Kit includes:

- 1 receiver
- 2 white remotes

Part Number	WHAR
-------------	------



## Electric Hatch Actuator

- Safe working load limit of 400lbs.
- Heavy duty sealed ball bearing motor allows for locking of hatches, so it won't open at high speeds
- Marine grade stainless steel housing
- Lifts 2x as fast and has 2X the power of other electric actuators
- Cleaner and more cost-effective alternative to hydraulic and pneumatic models
- Provides consistent performance throughout their lifetime
- 12 VDC

Description	Closed	Open	Part Number
4" throw	10.32"	14.32"	SSA4
8 " throw	14.32"	22.32"	SSA8
12" throw	18.32"	30.32"	SSA12
16" throw	22.32"	38.32"	SSA16
18" throw	24.32"	42.32"	SSA18
24" throw	30.32"	54.32"	SSA24

# 92 actuators

## Konrad I/O

7.8" stroke	AKD
-------------	-----



## Bennett Trim Tab Kit

- Stainless steel & aluminum composite
- Attaches to Bennet trim tab with 33 C series cables
- Bellows make for a water tight seal

Part Number	TTB
-------------	-----



## Mercury Trim Tab Kit

- 7 1/2" long
- Uses 33 C series cable to the K-plane

11/04 or earlier 2" anidode	TTME
12/04 or later 5" anidode	TTML

## Mercury Verado

port	N/A
starboard	AMOBV



See page 96 for cable thru hull fittings

## 33 C Series Cable

- Sold in two ft. increments
- Sizes range from 10ft. to 38 ft.
- Use with Livorsi controls or mechanical indicators
- Stainless steel core
- Chrome plated brass
- 3 1/4" throw
- Thread size 10x32

Part Number	CA + length
-------------	-------------



## Mercury NXT1

- Port or starboard

Part Number	AMNXT
-------------	-------



pictured:  
AMOBRPP  
port

## Mercury OB w/ remote pump

- Remote trim pump
- For 2.5 HP V6
- 1985-2006 models
- 20" or 25" mid section

port	AMOBRPP
starboard	AMOBRPS



pictured:  
AMBS starboard, standard kit

## Mercury Bravo & XR

- Standard kit has trim sender on starboard side of gimbal
- High performance kit does not have trim sender

Standard Kit	
port	AMBP
starboard	AMBS
High Performance	
port	AMBHPP
starboard	AMBHPS

## Mercury OB w/ built in pump

- Built in trim pump
- V6, 1985-2008 models
- 20" or 25" mid section

port	N/A
starboard	AMOBS



pictured:  
AMBD

## Mercury TRS

### Early Model

- Lates 60's
- Original trim cylinder
- No internal tube
- Original TRS used #3 drives
- Now high performance #4 & #5 drives

### Late Model

- For '78 cylinder
- Eternal oil pressure return tube running the length of the cylinder

Merc Bravo Drive	AMBD
Early model	AMTRSE
Late Model	AMTRSL

## Mercury OB- short shaft

- 15" midsection
- For 2.4 and 2.4 offshore

port	AMOBSP
starboard	N/A